Europäisches Patentamt

European Patent Office

Office européen des brevets



EP 0 957 517 A2 (11)

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

17.11.1999 Bulletin 1999/46

(22) Date of filing: 14.05.1999

(21) Application number: 99109639.7

(84) Designated Contracting States: AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE **Designated Extension States:** AL LT LV MK RO SI

(30) Priority: 15.05.1998 IT TO980414

(71) Applicant: ANSALDO TRASPORTI S.p.A. I-80147 Napoli (IT)


(72) Inventors:

 Zani, Pier Enrico 16030 Cogorno (IT) (51) Int. Cl.6: H01L 23/04, H01L 23/10

- · Bellafronte, Elio 16018 Mignanego (IT)
- · Fasce, Fioravante 16129 Genova (IT)
- Pasqualetti, Maurizio 16159 Genova (IT)
- · Portesine, Marco 16143 Genova (IT)
- (74) Representative: Eccetto, Mauro et al Studio Torta S.r.l., Via Viotti, 9 10121 Torino (IT)

Power semiconductor device (54)

A power semiconductor device wherein at least (57) one stratified structure (3) - having a body of semiconducting material (6) forming at least one electronic component, and flat electric interconnecting and contact elements (8a, 8b; 9a, 9b) - is housed in a tubular body (4) made of plastic material and closed at opposite ends by respective substantially flat metal sealing walls (19, 20). Each metal sealing wall (19, 20) is annular, and has a peripheral edge (19a, 20a) glued (22) to a respective end portion (15, 16) of the tubular body.



15

Description

[0001] The present invention relates to a power semiconductor device.

1

[0002] Power semiconductor devices are known in which a tubular insulating casing made of heat-resistant material (e.g. ceramic) houses a stratified structure comprising a flat body of semiconducting material forming at least one electronic component (diode, thyristor, GTO, IGBT, etc.), and flat electric interconnecting and contact elements.

[0003] The tubular casing has opposite end openings closed by respective metal plates, the peripheral edges of which are connected stably to annular flanges extending outwards, and from opposite end portions, of the tubular casing. The plates provide for sealing the insulating casing to separate the stratified structure completely from the environment surrounding the power semiconductor device.

Power semiconductor devices of the above [0004] type are normally sealed on forming machines for forming, e.g. by cold welding, a stable connection between the plate and annular flange. As stable connection normally calls for the application of considerable pressure, known forming machines generally have a complex, high-cost structure to enable such pressure to be applied while at the same time ensuring precise positioning of the plate with respect to the flange. Moreover, each forming machine is specially designed to produce a power semiconductor device of predetermined size, so that different power semiconductor devices of different sizes, e.g. different casing diameters, are generally produced on different and/or differently equipped forming machines.

[0005] It is an object of the present invention to provide a power semiconductor device which is cheap and easy to produce, and which, at the same time, ensures excellent sealing of the stratified structure inside the insulating casing.

[0006] According to the present invention, there is provided a power semiconductor device wherein at least one stratified structure is housed inside a casing; said stratified structure comprising: a body of semiconducting material forming at least one electronic component; electric interconnecting elements made of electric conducting material having a thermal expansion coefficient substantially equal to the thermal expansion coefficient of the body of semiconducting material, said electric interconnecting elements being located on opposite sides of said body of semiconducting material to form an electric contact with terminals of said electronic component; and electric contact elements made of electric conducting material and connected to and communicating electrically with respective electric interconnecting elements; said casing comprising at least one tubular body defining an inner cavity at least partially housing said stratified structure; characterized in that said tubular body is closed at opposite ends by respective substantially flat sealing walls; each said sealing wall having a peripheral edge connected by a glueing material to a portion of said tubular body.

[0007] According to the present invention, the insulating casing is sealed by a respective substantially flat sealing wall having a peripheral edge glued to an end portion of the insulating casing. The glueing operation is fast and cheap, and may be performed on forming and positioning machines of straightforward design, with no high pressure required.

[0008] A non-limiting embodiment of the invention will be described by way of example with reference to the accompanying drawings, in which:

Figure 1 shows a cross section of a power semiconductor device in accordance with the teachings of the present invention;

Figure 2 shows a first variation of the Figure 1 device:

Figure 3 shows a second variation of the Figure 1 device.

[0009] Number 1 in Figure 1 indicates as a whole a power semiconductor device wherein at least one stratified structure 3 is housed inside an insulating casing 4. [0010] Stratified structure 3 comprises:

a body 6 made of semiconducting material (generally silicon with relative doped and metal portions) and comprising a flat circular or square plate forming at least one electronic component (diode, thyristor, IGBT, GTO, etc.) - the flat plate preferably has a surface area of over one sq.cm;

two electric interconnecting elements 8a, 8b comprising flat circular plates made of electric conducting material (e.g. molibdenum, tungsten, copper, etc.) having an expansion coefficient substantially equal to the expansion coefficient of body 6 - electric interconnecting elements 8a, 8b are located on opposite sides of body 6 to form respective electric contacts with a first and second terminal of the electronic component formed by body 6 (e.g. an anode A and a cathode K if the electronic component comprises a diode as shown in the Figure 1 example); and

two electric contact elements 9a, 9b comprising flat circular plates made of electric conducting material (e.g. copper, aluminium, etc.) - each electric contact element 9a, 9b is adjacent to, and establishes a stable electric connection with, a respective electric interconnecting element 8a, 8b.

[0011] A substantially equal expansion coefficient is intended to mean that the difference between the expansion coefficient of silicon and that of the electric interconnecting element does not exceed a maximum value of, say, 6 - 8 x 10⁻⁶ °C⁻¹. The table below shows, purely by way of example, the thermal expansion (val-

40

15

20

30

35

40

45

50

ues expressed in 10⁻⁶ °C⁻¹) of materials having an expansion coefficient substantially equal to that of silicon (values at 25°C).

SILICON	4.68
MOLIBDENUM	4.8
TUNGSTEN	4.5

[0012] The first and second terminal of the electronic component therefore communicate respectively with electric contact elements 9a, 9b via respective electric interconnecting elements 8a, 8b; and electric contact elements 9a, 9b each have a metal surface outside casing 4.

[0013] If the electronic component formed by body 6 of semiconducting material comprises a third (e.g. drive) terminal, the third terminal is normally connected to an electric conductor (not shown) insulated from electric interconnecting elements 8a, 8b and extending in sealed manner through and out of casing 4.

(0014) Casing 4 comprises a cylindrical tubular body defining a cylindrical inner cavity 13 in which stratified structure 3 is housed coaxially with cylindrical tubular body 4.

[0015] Tubular body 4 comprises flat annular end portions 15, 16 in which are formed respective annular grooves 17, 18, each with a substantially rectangular cross section.

[0016] Device 1 also comprises a pair of sealing walls 19, 20 for sealing respective opposite openings of tubular body 4.

[0017] More specifically, each sealing wall 19, 20 is substantially flat and annular, and comprises:

an outer peripheral edge 19a, 20a bent 90°, housed inside a respective groove 17, 18, and connected stably to tubular body 4 by a glueing material 22 (e.g. epoxy adhesive) inside groove 17, 18; and an inner peripheral edge 19b, 20b connected stably (e.g. soldered) to a peripheral edge of a respective electric contact element 9a, 9b.

[0018] Each sealing wall 19, 20 comprises at least one controlled-deformation portion 23, 24, which is deformable to prevent force being transferred from stratified structure 3 to glueing material 22. More specifically, controlled-deformation portion 23, 24 comprises at least one portion of wall 19, 20 extending inside cavity 13 and having a substantially U-shaped section.

[0019] Tubular body 4 is made of plastic material (e.g. using so-called technopolymers) and is extremely resistant to heat and deformation.

[0020] The advantages of the present invention will be clear from the foregoing description: insulating casing 4

is sealed at each end by a respective sealing wall 19, 20, the peripheral edge 19a, 20a of which is glued to casing 4. After placing stratified structure 3 inside tubular body 4, glueing is effected by depositing a layer of adhesive inside groove 17, 18, positioning edge 19a, 20a facing the layer of adhesive, and inserting edge 19a, 20a inside groove 17, 18. The adhesive is then set and polymerized to form a stable connection between walls 19, 20 and tubular body 4. As the above operations call for little pressure and only straightforward positioning operations, the forming machines for producing the power semiconductor devices according to the present invention are of straightforward, low-cost mechanical design. Moreover, on account of the simplicity of the above sealing operations, the same forming machine may be adapted easily to produce semiconductor devices of different sizes, in particular with casings of different diameters.

[0021] Using a tubular body 4 made of plastic material, the power semiconductor device is extremely rigid, lightweight and cheap to produce.

[0022] The radial forces applied to annular portions 15, 16 by thermal expansion of electric contact elements 9a, 9b (during operation of the power semiconductor device) contribute towards deforming controlled-deformation portions 23, 24 so as to avoid stressing glueing material 22.

[0023] The Figure 2 device differs from the one in Figure 1 by stratified structure 3 comprising a number of bodies 6a, 6b, 6c, 6d of semiconducting material, each of which forms a respective electronic component and is connected to respective interconnecting elements 8a, 8b; interconnecting elements 8a are all adjacent to, and communicate electrically with, a single electric contact element 9a; interconnecting elements 8b are all adjacent to, and communicate electrically with, a single electric contact element 9b; and casing 4 therefore houses a number of electronic components arranged in parallel and having at least first terminals all communicating with electric contact element 9a, and second terminals all communicating with electric contact element 9b.

[0024] The Figure 3 device differs from those in Figures 1 and 2 by stratified structure 3 comprising a number of (separate) bodies 6a, 6b, 6c, 6d of semiconducting material, each of which forms a respective electronic component and is connected on one side to a respective interconnecting element 8a, and on the other side to a single interconnecting element 8b; interconnecting elements 8a are all adjacent to, and communicate electrically with, a single electric contact element 9a; and interconnecting element 8b is adjacent to, and communicates electrically with, a single electric contact element 9b. In this case, too, casing 4 therefore houses a number of electronic components arranged in parallel and having at least first terminals all communicating with electric contact element 9a, and second terminals all communicating with electric contact element 9b.

5

15

[0025] Clearly, changes may be made to the power semiconductor device as described herein without, however, departing from the scope of the present invention

Claims


- A power semiconductor device wherein at least one stratified structure (3) is housed inside a casing (4); said stratified structure comprising:
 - a body of semiconducting material (6) forming at least one electronic component;
 - electric interconnecting elements (8a, 8b) made of electric conducting material having a thermal expansion coefficient substantially equal to the thermal expansion coefficient of the body of semiconducting material (6); said electric interconnecting elements (8a, 8b) being located on opposite sides of said body of semiconducting material (6) to form an electric contact with terminals (A, K) of said electronic component; and
 - electric contact elements (9a, 9b) made of electric conducting material and connected to and communicating electrically with respective electric interconnecting elements (8a, 8b); said casing comprising at least one tubular body (4) defining an inner cavity (13) at least partially housing said stratified structure (3); characterized in that said tubular body (4) is closed at opposite ends by respective substantially flat sealing walls (19, 20); each said sealing wall (19, 20) having a peripheral edge (19a, 20a) connected by a glueing material (22) to a portion (15, 16) of said tubular body (4).
- A device as claimed in Claim 1, characterized in that said peripheral edge (19a, 20a) is connected by said glueing material (22) to an end portion (15, 16) of said tubular body (4).
- 3. A device as claimed in Claim 1 or 2, characterized in that each sealing wall (19, 20) is substantially annular, and comprises an outer peripheral edge (19a, 20a) connected stably by said glueing material (22) to said portion (15, 16) of the tubular body (4), and an inner peripheral edge (19b, 20b) connected stably to a respective electric contact element (9a, 9b).
- A device as claimed in any one of the foregoing Claims, characterized in that each sealing wall (19, 20) comprises at least one controlled-deformation portion (23, 24) which is deformable to prevent force being transferred by said stratified structure (3) to said glueing material (22).


- A device as claimed in Claim 4, characterized in that said controlled-deformation portion (23, 24) comprises at least one portion of said sealing wall (19, 20) having a substantially U-shaped section.
- A device as claimed in any one of the foregoing Claims, characterized in that said tubular body (4) is made of plastic material.
- 7. A device as claimed in any one of the foregoing Claims, characterized in that said stratified structure comprises a number of separate bodies of semiconducting material (6), each forming at least one respective electronic component.


4


50

EP 0 957 517 A2









Europäisches Patentamt

European Patent Office

Office européen des brevets



EP 0 957 517 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3: 18.10.2000 Bulletin 2000/42

(51) Int. CI.⁷: **H01L 23/04**, H01L 23/10, H01L 23/051

(43) Date of publication A2: 17.11.1999 Bulletin 1999/46

(21) Application number: 99109639.7

(22) Date of filing: 14.05.1999

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

MC NL PT SE

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 15.05.1998 IT TO980414

(71) Applicant:
ANSALDO TRASPORTI S.p.A.
I-80147 Napoli (IT)

(72) Inventors:

 Zani, Pier Enrico 16030 Cogorno (IT) Bellafronte, Elio
 16018 Mignanego (IT)


(11)

- Fasce, Fioravante 16129 Genova (IT)
- Pasqualetti, Maurizio 16159 Genova (IT)
- Portesine, Marco 16143 Genova (IT)
- (74) Representative:
 Eccetto, Mauro et al
 Studio Torta S.r.l.,
 Via Viotti, 9
 10121 Torino (IT)

(54) Power semiconductor device

(57) A power semiconductor device wherein at least one stratified structure (3) - having a body of semiconducting material (6) forming at least one electronic component, and flat electric interconnecting and contact elements (8a, 8b; 9a, 9b) - is housed in a tubular body (4) made of plastic material and closed at opposite ends

by respective substantially flat metal sealing walls (19, 20). Each metal sealing wall (19, 20) is annular, and has a peripheral edge (19a, 20a) glued (22) to a respective end portion (15, 16) of the tubular body.



EP 0 957 517 A3



EUROPEAN SEARCH REPORT

Application Number EP 99 10 9639

	DOCUMENTS CONSIDE	RED TO BE RELEVANT		
Category	Citation of document with inc of relevant passa		Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CL6)
X	US 3 931 635 A (SUNI 6 January 1976 (1976 * the whole document	5-01-06)	1-7	H01L23/04 H01L23/10 H01L23/051
X	US 4 099 201 A (MUE) 4 July 1978 (1978-07 * column 3, line 4 - figure 1 *	7-04)	1-7	-
A	DE 28 25 682 A (BBC 20 December 1979 (19 * page 4, paragraph * page 8 - page 11, * claim 5 * * figures 1,2 *	1 *	1,6	
A	US 4 383 355 A (EIS 17 May 1983 (1983-09 * figure 1 *	ELE DIETER) 5-17)	1,4	
		- · · · · ·		TECHNICAL FIELDS SEARCHED (Int.CI.6)
				HO1L
	The present search report has t	een drawn up for all claims		
	Place of search	Date of completion of the search		Examiner
	BERLIN	24 August 2000	Mui	nnix, S
X:pa Y:pa doo A:teo O:no	CATEGORY OF CITED DOCUMENTS riscularly relevant if taken alone riscularly relevant if combined with another surface to the same category chological background newritten disclosure ermediate document	L : document cited fo	arment, but public the application or other reasons	lished on, or

2

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 99 10 9639

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

24-08-2000

US 3931635 A 06-01-1976 SE 373689 B 10-02-1 DE 2426113 A 09-01-1 GB 1469973 A 14-04-1 SE 7308216 A 13-12-1 US 4099201 A 04-07-1978 NONE DE 2825682 A 20-12-1979 W0 8000116 A 24-01-1 EP 0016768 A 15-10-1 IT 1118159 B 24-02-1 JP 55500651 T 18-09-1	-197 -197
DE 2825682 A 20-12-1979 W0 8000116 A 24-01-1 EP 0016768 A 15-10-1 IT 1118159 B 24-02-1 JP 55500651 T 18-09-1	
EP 0016768 A 15-10-1 IT 1118159 B 24-02-1 JP 55500651 T 18-09-1	
)-198 2-198
US 4383355 A 17-05-1983 DE 2838997 A 20-03-1 BR 7908807 A 04-08-1 WO 8000640 A 03-04-1 EP 0015983 A 01-10-1 IT 1120203 B 19-03-1 JP 55500617 T 11-09-1	1-198 0-198 3-198

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

BLANK PAGE